

The results (column J) are reported in mg/L or parts per million. The action level for lead is any result greater than 0.015 mg/L. The action level for copper is any result greater than 1.3 mg/L. "ND" stands for non-detect; the contaminant was not detected above the MDL.

REPORT TYPE	CITY/TOWN	ORG CODE	SCHOOL NAME	SCHOOL TYPE	LOCATION ID	SAMPLE LOCATION NAME	SAMPLE COMMENTS	ANALYTE NAME	RESULT	MEASUREMENT	METHOD DETECTION LIMIT	ANALYTICAL METHOD USED	ANALYSIS LAB	LAB SAMPLE ID	ANALYSIS COMMENTS	SAMPLER NAME	SAMPLE COLLECTION DATE	COLLECTION TIME	REPORT DATE
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	001F	Single Bay Kitchen Sink-F	KC	COPPER	0.004	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 2		R.T.	9/28/2016	06:16:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	001F	Single Bay Kitchen Sink-F	KC	LEAD	ND	MG/L	0.001	SM 31138	BA ANALYTI 171072 2		R.T.	9/28/2016	06:16:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	001P	Single Bay Kitchen Sink-P	KC	COPPER	0.009	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 1		R.T.	9/28/2016	06:15:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	001P	Single Bay Kitchen Sink-P	KC	LEAD	ND	MG/L	0.001	SM 31138	BA ANALYTI 171072 1		R.T.	9/28/2016	06:15:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	002F	Basement Sink/Left of Womens Lock-F	CF	COPPER	0.056	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 4		R.T.	9/28/2016	06:25:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	002F	Basement Sink/Left of Womens Lock-F	CF	LEAD	0.045	MG/L	0.001	SM 31138	BA ANALYTI 171072 4		R.T.	9/28/2016	06:25:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	002P	Basement Sink/Left of Womens Lock-P	CF	COPPER	1.16	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 3		R.T.	9/28/2016	06:25:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	002P	Basement Sink/Left of Womens Lock-P	CF	LEAD	0.68	MG/L	0.001	SM 31138	BA ANALYTI 171072 3		R.T.	9/28/2016	06:25:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	006F	1st Floor Water Cooler by 203A-F	WC	COPPER	0.03	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 6		R.T.	9/28/2016	06:36:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	006F	1st Floor Water Cooler by 203A-F	WC	LEAD	0.001	MG/L	0.001	SM 31138	BA ANALYTI 171072 6		R.T.	9/28/2016	06:36:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	006P	1st Floor Water Cooler by 203A-P	WC	COPPER	0.14	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 5		R.T.	9/28/2016	06:35:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	006P	1st Floor Water Cooler by 203A-P	WC	LEAD	0.006	MG/L	0.001	SM 31138	BA ANALYTI 171072 5		R.T.	9/28/2016	06:35:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	007F	Water Cooler by 211-F	WC	COPPER	0.041	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 8		R.T.	9/28/2016	06:34:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	007F	Water Cooler by 211-F	WC	LEAD	0.002	MG/L	0.001	SM 31138	BA ANALYTI 171072 8		R.T.	9/28/2016	06:34:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	007P	Water Cooler by 211-P	WC	COPPER	0.22	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 7		R.T.	9/28/2016	06:33:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	007P	Water Cooler by 211-P	WC	LEAD	0.004	MG/L	0.001	SM 31138	BA ANALYTI 171072 7		R.T.	9/28/2016	06:33:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	008F	Room 214 Sink-F	CF	COPPER	0.21	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 10		R.T.	9/28/2016	06:32:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	008F	Room 214 Sink-F	CF	LEAD	0.007	MG/L	0.001	SM 31138	BA ANALYTI 171072 10		R.T.	9/28/2016	06:32:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	008P	Room 214 Sink-P	CF	COPPER	0.29	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 9		R.T.	9/28/2016	06:31:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	008P	Room 214 Sink-P	CF	LEAD	0.097	MG/L	0.001	SM 31138	BA ANALYTI 171072 9		R.T.	9/28/2016	06:31:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	009F	Water Cooler by 216-F	WC	COPPER	5.75	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 12		R.T.	9/28/2016	07:38:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	009F	Water Cooler by 216-F	WC	LEAD	1.96	MG/L	0.001	SM 31138	BA ANALYTI 171072 12		R.T.	9/28/2016	07:38:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	009P	Water Cooler by 216-P	WC	COPPER	8.6	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 11		R.T.	9/28/2016	07:37:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	009P	Water Cooler by 216-P	WC	LEAD	1.95	MG/L	0.001	SM 31138	BA ANALYTI 171072 11		R.T.	9/28/2016	07:37:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	010F	Nurse Office Sink-F	NS	COPPER	0.026	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 14		R.T.	9/28/2016	06:58:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	010F	Nurse Office Sink-F	NS	LEAD	0.002	MG/L	0.001	SM 31138	BA ANALYTI 171072 14		R.T.	9/28/2016	06:58:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	010P	Nurse Office Sink-P	NS	COPPER	0.086	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 13		R.T.	9/28/2016	06:57:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	010P	Nurse Office Sink-P	NS	LEAD	0.018	MG/L	0.001	SM 31138	BA ANALYTI 171072 13		R.T.	9/28/2016	06:57:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	011F	Nurse Room Sink Behind Desk Right-F	NS	COPPER	0.025	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 16		R.T.	9/28/2016	06:59:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	011F	Nurse Room Sink Behind Desk Right-F	NS	LEAD	ND	MG/L	0.001	SM 31138	BA ANALYTI 171072 16		R.T.	9/28/2016	06:59:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	011P	Nurse Room Sink Behind Desk Right-P	NS	COPPER	0.075	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 15		R.T.	9/28/2016	06:59:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	011P	Nurse Room Sink Behind Desk Right-P	NS	LEAD	ND	MG/L	0.001	SM 31138	BA ANALYTI 171072 15		R.T.	9/28/2016	06:59:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	012F	Nurse Room Sink Behind Desk Left-F	NS	COPPER	0.026	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 18		R.T.	9/28/2016	07:00:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	012F	Nurse Room Sink Behind Desk Left-F	NS	LEAD	ND	MG/L	0.001	SM 31138	BA ANALYTI 171072 18		R.T.	9/28/2016	07:00:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	012P	Nurse Room Sink Behind Desk Left-P	NS	COPPER	0.035	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 17		R.T.	9/28/2016	07:00:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	012P	Nurse Room Sink Behind Desk Left-P	NS	LEAD	0.001	MG/L	0.001	SM 31138	BA ANALYTI 171072 17		R.T.	9/28/2016	07:00:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	013F	Nurse Bathroom Sink-F	NS	COPPER	0.014	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 20		R.T.	9/28/2016	07:02:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	013F	Nurse Bathroom Sink-F	NS	LEAD	0.001	MG/L	0.001	SM 31138	BA ANALYTI 171072 20		R.T.	9/28/2016	07:02:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	013P	Nurse Bathroom Sink-P	NS	COPPER	0.034	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 19		R.T.	9/28/2016	07:01:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	013P	Nurse Bathroom Sink-P	NS	LEAD	0.024	MG/L	0.001	SM 31138	BA ANALYTI 171072 19		R.T.	9/28/2016	07:01:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	014F	Nurse Exam Room Sink-P	NS	COPPER	0.023	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 22		R.T.	9/28/2016	07:02:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	014F	Nurse Exam Room Sink-P	NS	LEAD	ND	MG/L	0.001	SM 31138	BA ANALYTI 171072 22		R.T.	9/28/2016	07:02:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	014P	Nurse Exam Room Sink-P	NS	COPPER	0.046	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 21		R.T.	9/28/2016	07:02:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	014P	Nurse Exam Room Sink-P	NS	LEAD	0.001	MG/L	0.001	SM 31138	BA ANALYTI 171072 21		R.T.	9/28/2016	07:02:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	015F	Room 220 Sink-F	CF	COPPER	0.016	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 24		R.T.	9/28/2016	06:41:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	015F	Room 220 Sink-F	CF	LEAD	0.002	MG/L	0.001	SM 31138	BA ANALYTI 171072 24		R.T.	9/28/2016	06:41:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	015P	Room 220 Sink-P	CF	COPPER	0.016	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 23		R.T.	9/28/2016	06:40:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	015P	Room 220 Sink-P	CF	LEAD	0.002	MG/L	0.001	SM 31138	BA ANALYTI 171072 23		R.T.	9/28/2016	06:40:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	016F	Room 228-7-F	CF	COPPER	0.011	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 26		R.T.	9/28/2016	06:42:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	016F	Room 228-7-F	CF	LEAD	0.002	MG/L	0.001	SM 31138	BA ANALYTI 171072 26		R.T.	9/28/2016	06:42:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	016P	Room 228-7-P	CF	COPPER	0.023	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 25		R.T.	9/28/2016	06:42:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	016P	Room 228-7-P	CF	LEAD	0.01	MG/L	0.001	SM 31138	BA ANALYTI 171072 25		R.T.	9/28/2016	06:42:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	017F	Bubbler outside Gym/Aud-Door 4-F	DW	COPPER	0.092	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 28		R.T.	9/28/2016	06:44:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	017F	Bubbler outside Gym/Aud-Door 4-F	DW	LEAD	0.004	MG/L	0.001	SM 31138	BA ANALYTI 171072 28		R.T.	9/28/2016	06:44:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	017P	Bubbler outside Gym/Aud-Door 4-P	DW	COPPER	0.11	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 27		R.T.	9/28/2016	06:43:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	017P	Bubbler outside Gym/Aud-Door 4-P	DW	LEAD	0.003	MG/L	0.001	SM 31138	BA ANALYTI 171072 27		R.T.	9/28/2016	06:43:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	018F	Water Cooler by handicap bathroom-F	WC	COPPER	0.21	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 30		R.T.	9/28/2016	06:46:00	11-Oct-16	
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	018F														

LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	031P	Sink in Attic Kitchen-P	KC	COPPER	0.12	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 45		R. T.	9/28/2016	07:20:00	11-Oct-16
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	031P	Sink in Attic Kitchen-P	KC	LEAD	0.014	MG/L	0.001	SM 31138	BA ANALYTI 171072 45		R. T.	9/28/2016	07:20:00	11-Oct-16
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	032F	Double Bay Food Prep-F	KC	COPPER	0.013	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 48		R. T.	9/28/2016	06:18:00	11-Oct-16
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	032F	Double Bay Food Prep-F	KC	LEAD	ND	MG/L	0.001	SM 31138	BA ANALYTI 171072 48		R. T.	9/28/2016	06:18:00	11-Oct-16
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	032P	Double Bay Food Prep-P	KC	COPPER	0.019	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 47		R. T.	9/28/2016	06:17:00	11-Oct-16
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	032P	Double Bay Food Prep-P	KC	LEAD	ND	MG/L	0.001	SM 31138	BA ANALYTI 171072 47		R. T.	9/28/2016	06:17:00	11-Oct-16
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	033F	424A Sink-F	NS	COPPER	0.016	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 50		R. T.	9/28/2016	07:06:00	11-Oct-16
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	033F	424A Sink-F	NS	LEAD	ND	MG/L	0.001	SM 31138	BA ANALYTI 171072 50		R. T.	9/28/2016	07:06:00	11-Oct-16
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	033P	424A Sink-P	NS	COPPER	0.048	MG/L	0.003	EPA 200.7	BA ANALYTI 171072 49		R. T.	9/28/2016	07:06:00	11-Oct-16
LCCA	Lawrence	01490536	Lawrence: High School Learning Center	Public School	033P	424A Sink-P	NS	LEAD	ND	MG/L	0.001	SM 31138	BA ANALYTI 171072 49		R. T.	9/28/2016	07:06:00	11-Oct-16